



FUNCTIONS

- Calculates all of the most popular Postal Rates for Australia for domestic and international mail
- With lodgment zone setting for calculating distance charges of parcels
- Domestic rates available:
 - Standard Letter
 - Large Letter
 - Parcel Post
 - Express Post Parcel
 - Local Parcel
 - Within 50 km
 - Ordinary Metered Mail
- International rates available:
 - International Airmail Letters
 - ECI Documents (Express Courier Service), formerly EMS

SPECIFICATIONS

Range	: 0 ~2000g Mechanical overload protection
Tare	: 0 ~ 500g. 0 Weight No Tare Function.
Negative weight	: Tare Function will set negative weight to 0 without add-on.
Tare upon turning on	: Allow tare up to max tare upon turn on, but this will not extend the measuring range on the scale.
Accuracy	: $\pm 0.1\%$ of reading ± 1 digit
Calibration	: In the event that the scale loses accuracy, recalibration may be required if the load cell of the scale is overloaded due to dropping something heavy on the scale, or after a scale fell to the floor.
Resolution	: 1g
Minimum Weight	: >1g
Min. Add-on Wt.	: >1g
Power Consumption	: Approx 0.35W ~ 0.40W
Power	: AC Adaptor: 9 V, 100mA (Supplied)
Warm-up time	: 2 seconds or less.
Display	: 2 lines with 8 characters dot matrix liquid crystal display, with clear protective Plastic Bezel. Optional: backlit display
Warm up display	: Selftest
Auto Off	: Auto off after 5 min. of no Load Change or Key Pressed. This can be removed according to the customer's request.
Low Power	: $7V \pm 0.3V$
Temperature	: Good performance within -10 degree Centigrade to +45 degree Centigrade. The scale is designed to operate in normal room temperatures. If subjected to cold or warm temperatures, it should be allowed to reach room temperature before operating.
Case & Platform	: Fine texture ABS plastic or equivalent.
Load Cell Technology	: Four element single strain gage with temperature compensation
Load Cell Body	: Material : 2024 – T4/T351 Aluminum Alloy
Rate Change	: Easily Replaceable Rate Change Chips

PHYSICAL FEATURES

Dimensions : 20cm X 14.2cm X 5.8cm
Platform Size : 14cm X 12cm with fold up platform to weigh the large letters.
Weight : 518g Without AC adapter

KEYS

Technology : Membrane, Domed Keyboard for Tactile Response
Quantity : 9

KEYBOARD LAYOUT



PACKAGING

Box Dimension : 27.8cm X 15.8cm X 8cm
Master carton Dimension: 60.0cm X 47.0cm X 31.0cm
Quantity: 20 boxes per Master carton
Volume: 0.09 cbm
Gross Weight: 18.50 kg (42 lbs, USA only)
IATA Dimensional Weight: 14.50kg (33 lbs, USA only)