

Xiamen Elane Electronics Company Ltd. 厦门依兰电子有限公司

Elane Electronics Group ...solutions through technology...
Xiamen, China – Gold Coast, Australia – Bauang, Philippines

Manufacturer of Electronic Scales, Postal Scales, Specialty Scales, Contract Manufacturing, Software Design, Product Development, Electronic Components, PCB Assemblies, Load Cells, Custom Load Cells, Scale-Components, Merchandize from China

www.elane.net - www.postagescale.com - www.scales-R.us - www.xiamentech.com - www.chinaeleccomp.com

USB Parcel Scale 65lb

DATA SHEET

RoHS
Leadfree Soldering




FEATURES

- Large capacity highly-accurate parcel scale (65lb/0.2oz)
- 3 way power : USB power from PC, battery (not supplied) , or adapter (optionally supplied)
- USB power from PC – plug and play (no software needed)
- USB connection (USB cable supplied)
- Can be used with online postage services such as Stamps.com, Endicia, USPS, and USA PC Postal Calculator to capture weight reading to PC
- With hinged platform that allows weighing of large envelopes vertically or mailing tubes
- Clear large LCD

#99-5B Huli Da Dao,
Huli District Xiamen, Fujian 361006, China
Tel: (86) 592-602-3169
Fax: (86)592-310-2478
Email: office@xiamentech.com
Website: www.elane.net

SPECIFICATIONS

Range	: 0-65lb Mechanical overload protection
Accuracy	: $\pm 0.1\%$ of reading ± 1 digit
Resolution	: 0.2oz
Minimum Weight	: >0.2oz
Min. Add-on Wt.	: >0.2oz
Power	: USB power (USB cable supplied) 9V alkaline battery (not supplied) 9V AC Adapter (optional)
Battery Low	:  blinks at upper left corner
Warm-up time	: 2 seconds or less.
User Calibration	: Using 20 lbs weight (not supplied)
Display	: Large 5-digit LCD
Temperature	: Good performance within 30 degree to 100 degree Fahrenheit. The scale is designed to operate in normal room temperatures. If subjected to cold or warm temperatures, it should be allowed to reach room temperature before operating.
Case & Platform	: Fine texture ABS plastic
Load Cell Technology	: Four element single strain gage with temperature compensation
Load Cell Body	: Material: 2024 – T4/T351 Aluminum Alloy
Interface	: Includes USB cable to connect to PC – weight reading program for PC can be downloaded from Elane website
Folding Platform	: The platform can be flipped open for large flat letters and mailing tubes

PHYSICAL FEATURES

Dimensions	: $9\frac{2}{3}'' \times 9\frac{1}{2}'' \times 2\frac{2}{3}''$
Platform Size	: $9\frac{1}{2}'' \times 7''$ with fold up platform to weigh the large letters.
Weight	: 3lbs without AC adapter

KEYBOARD LAYOUT



KEYS

Technology : Sealed Clicker Switch with tactile response
Quantity : 2

PACKAGING

Box Option
Box Dimension : 14³/₄" X 4¹/₄" X 11⁷/₈"
Packaged Weight : 4lbs 8.7oz
Master Carton Dimension: 24¹/₂" X 22" X 15³/₄"
Quantity: 10 boxes per Master carton
Volume: 4.91 cbf
Gross Weight: 45.5 lbs
IATA Dimensional (Volumetric) Weight: 51lbs

WARRANTY

1 year from date of sale to end-user against defect in manufacturing and materials